

High Performance Chimney Provisa 63000




Sophisticated tastes deserve sophisticated styling. This is why we created the Rangemaster Designer Series. These range hoods are unique works of art that flawlessly blend style, power and durability. Choosing between them won't be easy. One thing, however, is certain: you're sure to be completely satisfied with the combination of style and power you select.

Rangemaster Provisa 63000 Series 637004

The perfect choice for the household where cooking is the center of attention. The sleek free-hanging design of Provisa highlights a stylish focal point over any island of peninsula cook top. Its blower systems provide outstanding performance in removing grease and smoke, while four 20-watt halogen bulbs provide superior light. The seamless corners, stainless steel construction and fully enclosed underside assure easy cleaning.

Provisa also features a concealed three-speed control in a 70cm x 100cm (27-5/8" x 39-3/8") size and an easily removable dishwasher safe stainless steel grease filter. This unit includes a telescopic flue to accommodate 8 to 9 foot ceilings.



Product No.	Description	Width	Blower	Volts/ Amps	CFM	Duct Size
637004	RM Provisa Hood	28"x39"	Interior	120/5.5	900	8" RD

High Performance Chimney Ballista 61000




Sophisticated tastes deserve sophisticated styling. This is why we created the Rangemaster Designer Series. These range hoods are unique works of art that flawlessly blend style, power and durability. Choosing between them won't be easy. One thing, however, is certain: you're sure to be completely satisfied with the combination of style and power you select.

Rangemaster Ballista 61000 Series 613004

With an enduring stainless steel wall mounted design, the Ballista combines the flawless look of Italian style with easy to clean seamless corners and surfaces, easily removable dishwasher safe stainless steel grease filters, and performance that any gourmet would love. A concealed three-speed slide control allows you to select the setting appropriate for your cooking conditions and two 20-watt halogen lights illuminate the work area.

This unit is convertible to ducted or non-ducted operation (requires non-ducted filter kit), and includes a ducted/non-ducted telescopic flue to accommodate 8 to 9 foot ceilings, with an optional flue extension for up to 10 foot ceilings.



Product No.	Description	Width	Blower	Volts/ Amps	CFM	Duct Size
613004	RM Ballista Hood	30"	Interior	120/3.1	450	6" RD

K

High Performance Chimney Mirage 62000




Sophisticated tastes deserve sophisticated styling. This is why we created the Rangemaster Designer Series. These range hoods are unique works of art that flawlessly blend style, power and durability. Choosing between them won't be easy. One thing, however, is certain: you're sure to be completely satisfied with the combination of style and power you select.

Rangemaster Mirage 62000 Series 629004

Sleek and elegant, the Mirage dramatically combines the high-tech look of stainless steel with the beauty of hand-blown glass in a wall mounted design. The 450 CFM centrifugal blower, advanced electronics and halogen lighting come together for superior form and function. From the styling of variable speed, electronic touch controls with delay off and filter maintenance indicator, to the seamless underside with two 20-watt halogen recessed lights, Mirage adds a touch of distinction to your kitchen.

Mirage also features easy to clean seamless corners in an impactful 90cm (35-1/2") size and a stylish dishwasher safe stainless steel grease filter. This unit includes a telescopic flue to accommodate 8 to 10 foot ceilings.



Product No.	Description	Width	Blower	Volts/ Amps	CFM	Duct Size
629004	RM Mirage Hood	35.5"	-	120/3.1	450	6" RD


High Performance Chimney 65000



Rangemaster RM65000 Series RM659004

This delightful, hand-crafted design blends curved and angular surfaces to form a stunning union of stainless steel and glass. The 65000 Series 450 CFM centrifugal blower is combined with an advanced, multi-speed electronic push-button control featuring a convenient 10 minute delay shutoff. The control has stylish, rounded buttons with individual speed indicators, and a control light flashes when it's time to clean the filter.

The 65000 Series also features two-level lighting to provide bright cooktop illumination and a low nighttime setting through two 20-watt halogen lamps. Dishwasher safe aluminum filters with a quick-release latch produce a professional-style appearance. This unit includes a ducted telescopic flue to accommodate 8 to 9 foot ceilings. Extension flues for higher ceilings are also available for ducted applications. Install hood so that the bottom of the unit is 24 to 30 inches above the cooking surface.



Product No.	Description	Width	Blower	Volts/ Amps	CFM	Duct Size
RM659004	RM65000 Hood	35.5"	-	120/3.1	450	6" RD


Fashion Chimney RM50000



Rangemaster RM50000 Series RM503004 RM503604

The 50000 Series combines European design with tremendous value to meet the requirements of today's conventional appliance and kitchen styles. Its 270 CFM centrifugal blower and multispeed slide control provide quiet, effective performance. Two 40-watt incandescent lamps accentuates the beauty of a fully enclosed bottom containing dishwasher-safe aluminum filters with a quick-release latch and a professional-style appearance.

The 50000 Series includes a ducted/non-ducted telescopic flue to accommodate 8 to 9 foot ceilings. Extension flues for higher ceilings are also available for ducted applications. It also includes a non-ducted kit for indoor exhaust recirculation. Install hood so that the bottom of the unit is 24 to 30 inches above the cooking surface.



Product No.	Description	Width	Blower	Volts/ Amps	CFM	Duct Size
RM503004	RM50000 Hood	30"	-	120/3.1	270	6" RD
RM503604	RM50000 Hood	36"	-	120/3.1	270	6" RD


Fashion Chimney RM52000



Rangemaster RM52000 Series RM523004 RM523604

This wall-mounted chimney hood combines graceful curves and traditional European styling. The 52000 Series is engineered to meet the requirements of today's highly styled, conventional appliances and kitchens. Its 370 CFM centrifugal blower and multispeed slide control provide quiet, effective performance. Two 20-watt halogen lamps accentuates the beauty of a fully enclosed bottom containing dishwasher-safe aluminum filters with a quick-release latch and a professional-style appearance.

The 52000 Series includes a ducted/non-ducted telescopic flue to accommodate 8 to 9 foot ceilings. Extension flues for higher ceilings are also available for ducted applications. The non-ducted flue requires separate purchase of a non-ducted kit for indoor exhaust recirculation. Install hood so that the bottom of the unit is 24 to 30 inches above the cooking surface.



Product No.	Description	Width	Blower	Volts/ Amps	CFM	Duct Size
RM523004	RM52000 Hood	30"	-	120/3.1	370	6" RD
RM523604	RM52000 Hood	36"	-	120/3.1	370	6" RD


Fashion Chimney RM51000



Rangemaster RM51000 Series RM519004

The 51000 Series is a wall-mounted chimney hood with sleek, graceful curves that is engineered to meet the requirements of today's highly styled, conventional appliances and kitchens. Its 370 CFM centrifugal blower and multispeed slide control provide quiet, effective performance. Two 20-watt halogen lamps accentuates the beauty of a fully enclosed bottom containing dishwasher-safe aluminum filters with a quick-release latch and a professional-style appearance.

The 51000 Series includes a ducted/non-ducted telescopic flue to accommodate 8 to 9 foot ceilings. Extension flues for higher ceilings are also available for ducted applications. The non-ducted flue requires separate purchase of a non-ducted kit for indoor exhaust recirculation. Install hood so that the bottom of the unit is 24 to 30 inches above the cooking surface.



Product No.	Description	Width	Blower	Volts/ Amps	CFM	Duct Size
RM519004	RM51000 Hood	35.5"	-	120/3.1	370	6" RD


Built-In Specialty Down Draft System



Rangemaster RMDD Downdraft System RMDD3004

K Designed specifically to be compatible with most conventional and commercial style cooktops combining a sensational appearance with high performance features. Stainless steel construction on all exposed surfaces provides a durable finish and an unforgettable look.

The compact design is installed directly behind the cooktop for an unobtrusive appearance, while the thin profile saves precious space under the cabinet. The chimney rises over 9-1/2" when activated, ideal for large pots and pans. An infinitely adjustable control is designed to provide convenient access to govern the blower speed for effective and quiet operation, and an optional remote control will activate down draft from an alternate location. Heat Sentry adjusts blower speed to high in case of excess heat. Dishwasher-safe filters are easy to remove and feature a stylish brushed stainless steel appearance for a professional look. A unique ducting capability allows the internal or remote blower connection to be ducted to the left, right or downward (from left to right). Interior 500 CFM centrifugal blower or exterior blower options from 600 to 1500 CFM are available.



Product No.	Description	Width	Blower	Volts/ Amps	CFM	Duct Size
RMDD3004	RMDD Hood	30"	Interior	120/4.0	500	3 1/4"x10"


Custom Power Pack



Rangemaster Custom Power Pack RMP1 RMP17004

The Rangemaster Custom Power Pack is designed to fit flush with the bottom of a cabinet or custom hood that's 30 to 42 inches wide. The 400 CFM centrifugal blower is combined with a multispeed control to provide quiet and effective performance. Two 20-watt halogen lamps compliments the beauty of a fully enclosed bottom containing dishwasher-safe aluminum filters with a quick-release latch and a professional-style appearance.

Exterior blower model (RMPE) is also available, which provides higher exhaust options and a choice of 600, 900, 1200 or 1500 CFM. Requires separate purchase of a non-ducted kit for indoor exhaust recirculation. Install power pack so that the bottom of the unit is 24 to 30 inches above the cooking surface.





Product No.	Description	Width	Blower	Volts/ Amps	CFM	Duct Size
RMP17004	RMP1 Power Pack	27.6"	Interior	120/3.1	400	6" RD

Allure III Range Hoods



Allure III QS3 Series QS330 QS336

Allure combines modern styling with advanced features like three-speed electronic control plus boost-speed mode, delay-off and filter cleaning reminder. Easy cleaning is assured by a DuPont Teflon® bottom pan in a fully enclosed range hood containing dishwasher-safe professional-style filters. Three-level light settings are powered by dual PAR20 flood halogen lamps (not included). The Allure III QS3 Series is an ultra quiet 0.4 sones at normal speed, with an extra powerful 400 CFM boost (*100 CFM at Normal setting, 250 CFM and 3.5 sones at High setting, 7 sones at Boost). Advanced Heat Sentry™ detects excessive heat and adjusts hood speed for proper ventilation. Cyclonic Action improves capture performance, and offers **four-way convertibility 3-1/4" x 10" (horizontal and vertical, included), 7" round (vertical) and non-ducted (non-ducted CS filters sold separately). Available in Almond (AA), Biscuit (BC), Black (BL), Stainless Steel (SS) and White (WW).



Product No.	Description	Width	Blower	Volts/ Amps	CFM	Duct Size
QS330##	QS3 Hood non-SS	30"	-	120/2.8	400*	var.**
QS330SS	QS3 Hood SS	30"	-	120/2.8	400*	var.**
QS336##	QS3 Hood non-SS	36"	-	120/2.8	400*	var.**
QS336SS	QS3 Hood SS	36"	-	120/2.8	400*	var.**
SP300108	Wall Shield WW/AA	30"	-	-	-	-
SP300223	Wall Shield BC/BL	30"	-	-	-	-
SP3004	Wall Shield SS	30"	-	-	-	-
SP360108	Wall Shield WW/AA	36"	-	-	-	-
SP360223	Wall Shield BC/BL	36"	-	-	-	-
SP3604	Wall Shield SS	36"	-	-	-	-